

Magnetic Locators

9



Magna-Trak 100SC

Very sturdy, waterproof magnetic and valve rod locator

- ▶ Visual and acoustic output of measurement results
- ▶ Adjustable sensitivity and volume
- ▶ Very lightweight and ergonomic

Additional features

- ▶ Waterproof up to the housing; housing splashproof
- ▶ Sturdy and lightweight aluminium tube with durable hard rubber tip

Applications

- ▶ For locating ferromagnetic objects outdoors
- ▶ For locating objects concealed by earth, road surface, snow and water, e.g. hydrants, marker magnets, manhole covers, valve rods, surveying marks and rods, water meters, etc.



| Technical Specifications | MT-100SC |
|--|----------------------|
| Part number | F 034 082 1N0 |
| Length | 102 cm |
| Locating depth (depending on size of object) | 4.6 m |
| Power supply | 6 x 1.5 V LR6 (AA) |
| Operating time (max.) | 100 h |
| Weight | 1.3 kg |
| Scope of delivery | |
| MT100 | ✓ |
| Batteries | ✓ |
| Fabric bag | ✓ |

Magna-Trak 102

Very sturdy, waterproof magnetic and valve rod locators

- ▶ Erase function for suppressing unwanted influences from other magnetic parts
- ▶ Visual and acoustic output of measurement results
- ▶ Adjustable sensitivity and volume

Additional features

- ▶ Very lightweight and ergonomic
- ▶ Waterproof up to the housing; housing splashproof
- ▶ Sturdy and lightweight aluminium tube with durable hard rubber tip
- ▶ Indication of power cables

Applications

- ▶ For locating ferromagnetic objects outdoors
- ▶ For locating objects concealed by earth, road surface, snow and water, e.g. hydrants, marker magnets, manhole covers, valve rods, surveying marks and rods, water meters, etc.



| Technical Specifications | MT-102SC | MT-102HC |
|---|----------------------|----------------------|
| Part number | F 034 082 3N0 | F 034 082 3N5 |
| Length | 102 cm | 102 cm |
| Locating depth (dep. on size of object) | 4.6 m | 4.6 m |
| Power supply | 6 x 1.5 V LR6 (AA) | 6 x 1.5 V LR6 (AA) |
| Operating time (max.) | 100 h | 100 h |
| Weight | 1.3 kg | 1.3 kg |
| Scope of delivery | | |
| MT102 | ✓ | ✓ |
| Batteries | ✓ | ✓ |
| Fabric bag | ✓ | - |
| Hard carry case | - | ✓ |

Magna-Trak 200SC

Very sturdy, waterproof magnetic and valve rod locator

- ▶ New design, easy operation, larger display
- ▶ Adjustable sensitivity and volume
- ▶ Very lightweight and ergonomic

Additional features

- ▶ Waterproof up to the housing; housing splashproof
- ▶ Sturdy and lightweight aluminium tube with durable hard rubber tip
- ▶ Indication of power cables

Applications

- ▶ For locating ferromagnetic objects outdoors
- ▶ For locating objects concealed by earth, road surface, snow and water, e.g. hydrants, marker magnets, manhole covers, valve rods, surveying marks and rods, water meters, etc.



| Technical Specifications | MT-200SC |
|--|----------------------|
| Part number | F 034 082 4N0 |
| Length | 109 cm |
| Locating depth (depending on size of object) | 4.6 m |
| Power supply | 6 x 1.5 V LR6 (AA) |
| Operating time (max.) | 100 h |
| Weight | 1.3 kg |
| Scope of delivery | |
| MT200 | ✓ |
| Batteries | ✓ |
| Fabric bag | ✓ |

Magna-Trak 202

Very sturdy, waterproof magnetic and valve rod locators

- ▶ Erase function for suppressing unwanted influences from other magnetic parts
- ▶ Visual and acoustic output of measurement results
- ▶ Adjustable sensitivity and volume
- ▶ Very lightweight and ergonomic

Additional features

- ▶ Membrane Switch
 - Lets you adjust volume and sensitivity with the same hand that holds the locator
 - No mechanical controls – membrane is sealed from dust and moisture
- ▶ Waterproof up to the housing; housing splashproof
- ▶ Sturdy and lightweight aluminium tube with durable hard rubber tip
- ▶ Indication of power cables

Applications

- ▶ For locating ferromagnetic objects outdoors
- ▶ For locating objects concealed by earth, road surface, snow and water, e.g. hydrants, marker magnets, manhole covers, valve rods, surveying marks and rods, water meters, etc.

| Technical Specifications | MT-202SC | MT-202HC |
|---|----------------------|----------------------|
| Part number | F 034 082 5N0 | F 034 082 5N1 |
| Length | 109 cm | 109 cm |
| Locating depth (dep. on size of object) | 4.6 m | 4.6 m |
| Power supply | 6 x 1.5 V LR6 (AA) | 6 x 1.5 V LR6 (AA) |
| Operating time (max.) | 100 h | 100 h |
| Weight | 1.3 kg | 1.3 kg |
| Scope of delivery | | |
| MT202 | ✓ | ✓ |
| Batteries | ✓ | ✓ |
| Fabric bag | ✓ | - |
| Hard carry case | - | ✓ |

