



ALQCI20-B**Tripod**

- ▶ Light weight aluminium tripod with quick-release clamp
- ▶ Very sturdy and robust
- ▶ Joints and shoe points made of metal

Additional features

- ▶ Lightweight, durable, thick aluminium
- ▶ Supplied with shoulder strap



Technical Specifications	ALQCI20-B
Part number	F 034 091 000
Work height	97 cm – 160 cm
Max. work height	160 cm
Transport size	97 cm
Weight	4.1 kg

ALQRI20-B**Tripod**

- ▶ Medium weight aluminium tripod with quick-release clamp
- ▶ Very sturdy and robust
- ▶ Joints and shoe points made of metal

Additional features

- ▶ Durable, thick aluminium
- ▶ Supplied with shoulder strap



Technical Specifications	ALQRI20-B
Part number	F 034 091 300
Work height	107 cm – 165 cm
Max. work height	165 cm
Transport size	107 cm
Weight	5.5 kg

FGHD20

Heavy weight fibreglass tripod with quick-release clamp

- ▶ Very sturdy and robust
- ▶ Joints and shoe points made of metal
- ▶ Extra stability due to double banded legs

Additional features

- ▶ Supplied with shoulder strap
- ▶ No shrinking or swelling in changing weather and temperature conditions



Technical Specifications	FGHD20
Part number	F 034 091 PN2
Work height	107 cm – 183 cm
Max. work height	183 cm
Transport size	107 cm
Weight	7.2 kg

WDWI20

Heavy weight wooden tripod with screw clamp

- ▶ Very sturdy and robust
- ▶ Joints and shoe points made of metal
- ▶ Extra stability due to double banded, extendible legs

Additional features

- ▶ Supplied with shoulder strap
- ▶ No shrinking or swelling in changing weather and temperature conditions



Technical Specifications	WDWI20
Part number	F 034 091 VNK
Work height	107 cm – 183 cm
Max. work height	183 cm
Transport size	107 cm
Weight	7.2 kg

ALQRI10-ELAZ**Elevator tripod**

- ▶ Light weight aluminium tripod with quick-release clamp
- ▶ Very sturdy and robust
- ▶ Joints and shoe points made of metal

Additional features

- ▶ Lightweight, durable, thick aluminium
- ▶ Supplied with shoulder strap



Technical Specifications	ALQRI10-ELAZ
Part number	F 034 091 1N1
Work height	84 cm – 139 cm
Max. work height with extension tube	139 cm
Transport size	84 cm
Weight	5.9 kg

ALQRI20-ELAZ**Elevator tripod**

- ▶ Light weight aluminium tripod with quick-release clamp
- ▶ Very sturdy and robust
- ▶ Joints and shoe points made of metal

Additional features

- ▶ Lightweight, durable, thick aluminium
- ▶ Supplied with shoulder strap



Technical Specifications	ALQRI20-ELAZ
Part number	F 034 091 100
Work height	122 cm – 295 cm
Max. work height with extension tube	295 cm
Transport size	122 cm
Weight	7.2 kg

ALELT20

Telescopic tripod

- ▶ Light weight tripod with quick-release clamp
- ▶ Very sturdy and robust
- ▶ Joints and shoe points made of metal

Additional features

- ▶ Lightweight, durable, thick aluminium
- ▶ Supplied with shoulder strap



Technical Specifications	ALELT20
Part number	F 034 091 GNO
Work height	105 cm – 183 cm
Max. work height	183 cm
Transport size	105 cm
Weight	5.5 kg

LP12-UM

Laser pole platform system for fast levelling and alignment from the floor to the ceiling

- ▶ 60 cm long telescopic pole with 3 sections enables easy adjustment to suit any room height
- ▶ Magnetic mount with horizontal and vertical fine adjustment
- ▶ Design enables use in the smallest corners and spaces

Additional features

- ▶ Mount with quick-release clamp
- ▶ Padded base and ceiling plates



Technical Specifications	LP12-UM
Part number	F 034 093 000
Work height	10 cm – 360 cm
Max. work height	360 cm
Weight	2 kg
Scope of delivery	LP12-UM
Fabric bag	✓

Mini tripod



58-MINIT

► Mini tripod with magnet

► **Suitable for** ILMXT, ILMXTG, ILMXL, GIZLT-3, MP3, XP5, XLP34

58-MINIT

Part number

F 034 091 LN3

Tripod Accessories



60-BAG20

► Fabric bag for tripods
Up to a length of 114 cm.

60-BAG20

Part number

1 608 M00 12V



60-TFG20

► Folding tripod floor guide
Aluminium, length of 70 cm.

60-TFG20

Part number

1 608 M00 AN2